

PROHLÁŠENÍ VÝROBCE

Společnost VYRTYCH a.s. na základě vykonaných zkoušek zkušební laboratoří
DEKRA Automobil GmbH – Laboratory for Environmental and Product Analysis

prohlašuje shodu se standardem

VDMA 24364

Testování látek poškozujících smáčení laku (LABS) - Specifikace VDMA popisuje požadavky
na zkoušení výrobků na látky zhoršující smáčivost laků pro svítidla typu:

PITBUL-Ex-LED

Příloha:

Test report: PB2115556 - DEKRA Automobil GmbH – Laboratory for Environmental and Product Analysis

 **VYRTYCH a.s.**
Židněves 116, 294 06 Březno
Česká republika
IČO: 278 62 470, DIČ: CZ27862470

.....
Vystavil
Petr Beneš
Vedoucí technického úseku

DEKRA Automobil GmbH Handwerkstr. 17 D-70565 Stuttgart

VYRTYCH a.s.
Mr. Josef Jelinek
Brezno 317
29406 BREZNO
CZECH REPUBLIC

DEKRA Automobil GmbH
Laboratory for Environmental and Product Analysis
Handwerkstr. 17
70565 Stuttgart
Phone +49.711.7861-3536
Fax +49.711.7861-3534

Contact:
Thilo Kunst
Phone 0711/ 7861-3550
E-Mail thilo.kunst@dekra.com
Date Jun 30, 2021
Page 1 of 2

Order No.: 55271946

Test Report No.: PB2115566

Version 1

Client: VYRTYCH a.s.
Mr. Josef Jelinek
Brezno 317
29406 BREZNO
CZECH REPUBLIC

Date of order: Jun 18, 2021

Sample received: Jun 18, 2021

Number of samples: 1 sample(s)

Scope of investigation: LABS-conformity VDMA 24364

Testing period: Jun 18, 2021 - Jun 30, 2021

Test result:

- see following pages -

Accredited Analytical Laboratory D-PL-11060-03-00 in Stuttgart and Halle (Saale)

Sample no.:	55271946001		
Sample designation:	MULTIPITBUL-Ex-LED-OP-8000-418-8K, IP65, 3h (053705)		
Sample description:	Component		
Method:	VDMA 24364: 2018-05		
Picture of the sample:			
Inspected surface area (outside)	Class	Result	Labeling LABS-conformity
Metal housing	B1	OK	VDMA24364-B1-L/W
Glas panel		OK	
Metal hinge		OK	
Rubber seal		OK	
Label		OK	

Test parameter:

Sampling:	B1: Rinse off with solvent (n-Butylacetat)
Test base:	DC04, KTL coated, Cathoguard 800, 150x100x0,8 mm
Paint, solvent-based (L):	DUPLI-COLOR RAL 9003, glossy
Paint, water-based (W):	MOLOTOW ONE4ALL ACRYLIC, signal white

Hints:

The test results refer exclusively to the samples specified. A reproduction in excerpts of the test report must not be made without the written consent of the test laboratory. Chemical and material blanks are taken into account when determining the results. Samples will be stored for max. 6 months (for exceptions and specific storage times see QMH).

Stuttgart, Jun 30, 2021

DEKRA Automobil GmbH
Laboratory for Environmental and Product Analysis

Thilo Kunst
Project manager automotive chemicals and technical cleanliness